

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S223	81	(access\$3 near5 (authority right level)) same ((user near1 name) username) and (question near10 (menu list box))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S224	16	(access\$3 near5 (authority right level)) near10 ((display \$3 present\$5) near5 question)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S225	1	"20030113727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S226	1	10/509442	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S227	69	(access\$3 near5 (authority right level)) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S228	244	(role near1 based) near5 access and "705".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S229	20	(rol\$3 near5 based near5 access) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S230	49	(service near5 level) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S231	1	"20030167197"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S232	1174	(question near5 (menu list)) near10 select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S233	318	((question near5 (menu list)) near10 select\$5) and ((access\$3 service authori \$5) near5 level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S234	12	((question near5 (menu list)) near10 select\$5) same ((access\$3 service authori \$5) near5 level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S235	79	((question near5 (menu list)) near10 select\$5) and ((access\$3 service authori \$5) near5 level) and (((user near1 name) username) near10 password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S236	297	(security near1 application) and (service near1 application) and (framework near1 application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S237	208	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S238	198	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S239	198	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S240	7	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and (question near5 (list menu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S241	1	(security adj application) and (service adj application) and (framework adj application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and (question near5 (list menu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S242	2	(security adj application) and (service adj application) and (framework adj application) and (((user near1 name) username) near5 password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S243	0	(security adj software) and (service adj software) and (framework adj software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S244	5	(security adj module) and (service adj module) and (framework adj module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S245	613	(access\$3 near5 (authority right level)) same ((user near1 name) username) and (security near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S246	89	(access\$3 near5 (authority right level)) same ((user near1 name) username) same (security near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S247	406	(access\$3 near5 (authority right level)) same ((user near1 name) username) same (access\$3 near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S248	275	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S249	69	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application)) and @rlad<"20020403"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S250	16	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application)) and @pd<"20020403"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S251	8	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (web near5 (page site)) and @pd<"20020403"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S252	26	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (web near5 (page site)) and @ad<"20020403" not S139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S253	18	(access\$3 near5 (authority right level)) same (((user near1 name) username)) same (web near5 (page site)) and @ad<"20020403" not S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S254	85	((natural adj language) near5 question\$3) and ((service authoriz\$5 authoris \$5 secur\$3 protect\$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S255	21	"5,895,466"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S256	55	(display\$3 present\$3 input \$4 enter\$4) same ((natural adj language) near5 question \$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect \$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S257	50	(display\$3 present\$3 input \$4 enter\$4) near5 ((natural adj language) near5 question \$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect \$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S258	52	(display\$3 present\$3 input \$4 enter\$4) near5 ((natural adj language) near5 question \$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect \$3 access\$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S259	17	(display\$3 present\$3 input \$4 enter\$4) near5 ((natural adj language) near5 question \$3) same ((authoriz\$5 authoris\$5 secur\$3 protect \$3 access\$3)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S260	2	(select\$3 choos\$3 chosen pick\$3) near5 ((natural adj language) near5 question \$3) same (authoriz\$5 authoris\$5 secur\$3 protect \$3 access\$3 permission level right password username (user adj name)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S261	33	(select\$3 choos\$3 chosen pick\$3) near5 ((natural adj language) near5 question \$3) and (authoriz\$5 authoris \$5 secur\$3 protect\$3 access \$3 permission level right password username (user adj name)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S262	4	faq near5 (right permission authoriz\$5 authoris\$5) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S263	1	(predetermined preset precustomized prespecified (pre adj (determined set customized specified)))) with ((natural adj language) near5 question\$3) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S264	11	list near5 ((natural adj language) near5 question \$3) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S265	133	(customized determined set) near5 ((natural adj language) near5 (quer\$4 question\$3)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S266	14	((customized determined set) near5 (natural adj language) near5 (quer\$4 question\$3)) and ((access \$3) near5 (level permission authoriz\$5 authoris\$5)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S267	5	09/782873	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S268	125	((select\$3 display\$3 list\$3) near5 (question\$3)) same ((service authoriz\$5 authoris \$5 secur\$3 protect\$3 access permission) near5 (level right permission)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S269	16	((select\$3 display\$3 list\$3) near5 (question\$3)) near10 ((service authoriz\$5 authoris \$5 secur\$3 protect\$3 access permission) near5 (level right permission)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S270	12807	(707/3 707/4).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S271	221472	("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S272	11	S142 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S273	2	S156 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S274	45	S153 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S275	2	S145 and S162	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S276	5	S142 and S162	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47

S277	31	(search\$3 quer\$4) near5 (aggregat\$3) near5 (multiple plural) near5 (database (data adj base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S278	5	(search\$3 quer\$4) near5 (aggregat\$3) near5 sales near5 (database (data adj base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 13:47
S279	1	"20030009367"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 14:30
S280	10	(US-20020016910-\$ or US- 20030167197-\$ or US- 20020032612-\$ or US- 20020116395-\$ or US- 20010047270-\$ or US- 20060074695-\$ or US- 20030009367-\$).did. or (US- 6980962-\$ or US-7107268-\$ or US-7324964-\$).did.	US-PGPUB; USPAT	OR	ON	2008/10/28 14:38
S281	2	S280 and (question near5 answer near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 14:38

S282	111	(service near5 level) and (question near5 answer near5 (database (data adj base))) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 14:53
S284	4	(service near5 level) same password and (question near5 answer near5 (database (data adj base))) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 14:54
S285	15	((permission authorization security) near5 level) same password and (question near5 answer near5 (database (data adj base))) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 14:55
S286	1	"20020119433"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 15:59

S287	1	S286 and (question\$3 same answer\$3 same (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/28 16:00
------	---	---	---	----	----	---------------------

10/28/2008 4:28:26 PM

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son_10_509_442_case.
wsp